



STEEL PRODUCTS  
& CONSTRUCTION  
[WWW.JOUNISTEEL.COM](http://WWW.JOUNISTEEL.COM)

## **VISION**

“ Our vision is to become a major supplier of steel products in the Middle East and the world, and set an example of professionalism in steel construction. ”

## **MISSION**

“ We strive to achieve customer satisfaction and gain our customers’ trust by providing the best quality products. ”



## ABOUT US

Jouni Trading Contracting Company JOUNICO is a family company established in Lebanon in 1978 by the Jouni family. Our company has grown to become the main steel products supplier in South Lebanon, and has established connections with businesses across Lebanon and internationally. We are looking forward to expand our market share through the continuous introduction of new products and services. JOUNICO offers a wide variety of steel products imported from outside Lebanon including structural steel, hollow sections, tubes, sheet metal, and coils.

We offer machining services tailored to our customers' needs such as roll forming, bending, and cutting. JOUNICO is always ready to comply your requests inside and outside Lebanon.



**JOUNICO - FULL SITE**

It is our duty to satisfy the customer not only through offering a variety of steel products, but also through providing specialized services according to their requirements. JOUNICO has the capability to supply and build a complete steel structure. In fact, JOUNICO has built a number of steel structures inside and outside Lebanon.




---

# PRODUCT RANGE


---

## I BEAMS



|           |            |
|-----------|------------|
| TYPES     | IPN - IPE  |
| DIMENSION | 80-600 mm  |
| LENGTH    | 6 and 12 m |

## H BEAMS



|           |            |
|-----------|------------|
| TYPES     | HEA - HEB  |
| DIMENSION | 100-600 mm |
| LENGTH    | 6 and 12 m |

## U BEAMS



|           |            |
|-----------|------------|
| TYPES     | UPN - UAP  |
| DIMENSION | 30-400 mm  |
| LENGTH    | 6 and 12 m |

## ANGLES



|           |                        |
|-----------|------------------------|
| DIMENSION | 20x20 mm to 200x200 mm |
| THICKNESS | 2-20 mm                |
| LENGTH    | 6 and 12 m             |

## FLAT BARS



|           |                      |
|-----------|----------------------|
| DIMENSION | 12x3 mm to 300x30 mm |
| LENGTH    | 6 m                  |

## T BARS



|           |          |
|-----------|----------|
| DIMENSION | 30-60 mm |
| LENGTH    | 6 m      |

## ROUND TUBES



**COLD-ROLLED Ø:** 16 - 100 mm  
**THICKNESS:** 1 - 2 mm

**HOT-ROLLED Ø:** 25 - 330 mm  
**THICKNESS:** 2 - 10 mm

**HOT-DIP GALVANIZED Ø:** 16-219 mm  
**THICKNESS:** 1 - 3 mm

## RECTANGULAR TUBES



**DIMENSION** 20X10 to 300X200 mm

**THICKNESS** 1.5 - 10 mm  
**LENGTH** 6 - 8 m


## SQUARE TUBES



**DIMENSION** 15X15 to 250X250 mm

**THICKNESS** 1.5 - 10 mm  
**LENGTH** 6 - 8 m

**COLD ROLLED COILS**



|                  |            |
|------------------|------------|
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 0.5 - 3 mm |

**HOT ROLLED COILS**




|                  |             |
|------------------|-------------|
| <b>WIDTH</b>     | 1 - 2 m     |
| <b>THICKNESS</b> | 1.5 - 12 mm |

**GALVANIZED ROLLED COILS**




|                  |            |
|------------------|------------|
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 0.3 - 6 mm |

**COLD ROLLED SHEETS**



|                  |            |
|------------------|------------|
| <b>LENGTH</b>    | 1 - 3 m    |
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 0.5 - 3 mm |

**HOT ROLLED SHEETS**



|                  |             |
|------------------|-------------|
| <b>LENGTH</b>    | 1 - 7.5 m   |
| <b>WIDTH</b>     | 1 - 2.5 m   |
| <b>THICKNESS</b> | 1.5 - 80 mm |

**GALVANIZED ROLLED SHEETS**



|                  |            |
|------------------|------------|
| <b>LENGTH</b>    | 1 - 6 m    |
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 0.3 - 6 mm |

**C PURLINS**



|                  |                  |
|------------------|------------------|
| <b>LENGTH</b>    | 1 - 12 m         |
| <b>WIDTH</b>     | 140, 160, 200 mm |
| <b>THICKNESS</b> | 1.5 - 2.5 mm     |

**TEAR DROP**



|                  |            |
|------------------|------------|
| <b>LENGTH</b>    | 1 - 6 m    |
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 1.8 - 6 mm |

**DIAMOND**




|                  |            |
|------------------|------------|
| <b>LENGTH</b>    | 1 - 6 m    |
| <b>WIDTH</b>     | 1 - 1.5 m  |
| <b>THICKNESS</b> | 1.8 - 6 mm |

**PRE-PAINTED COILS**



|                  |              |
|------------------|--------------|
| <b>WIDTH</b>     | 1 - 1.25 m   |
| <b>THICKNESS</b> | 0.3 - 0.6 mm |

**ONDULINE**



|               |       |
|---------------|-------|
| <b>WIDTH</b>  | 90 cm |
| <b>LENGTH</b> | 2 m   |

**CEMENTED FIBER SHEET**



|               |       |
|---------------|-------|
| <b>WIDTH</b>  | 90 cm |
| <b>LENGTH</b> | 3 m   |

**CORRUGATED SHEETS**



|                  |              |
|------------------|--------------|
| <b>LENGTH</b>    | 1 - 12 m     |
| <b>WIDTH</b>     | 0.85 - 1 m   |
| <b>THICKNESS</b> | 0.3 - 0.6 mm |

**SANDWICH PANEL ROOF**



|                  |             |
|------------------|-------------|
| <b>LENGTH</b>    | 1 - 15 m    |
| <b>WIDTH</b>     | 1 m         |
| <b>THICKNESS</b> | 50 - 200 mm |

**SANDWICH PANEL WALL**



|                  |             |
|------------------|-------------|
| <b>LENGTH</b>    | 1 - 15 m    |
| <b>WIDTH</b>     | 1 m         |
| <b>THICKNESS</b> | 50 - 200 mm |

**CORRUGATED STEEL TILES**




|                  |              |
|------------------|--------------|
| <b>LENGTH</b>    | 3.2 m        |
| <b>WIDTH</b>     | 0.85 - 1.1 m |
| <b>THICKNESS</b> | 0.4 - 0.5 mm |

**PVC ROOF TILE SHEET**



|                  |              |
|------------------|--------------|
| <b>LENGTH</b>    | 1 - 6 m      |
| <b>WIDTH</b>     | 0.9 - 1.05 m |
| <b>THICKNESS</b> | 2.5 - 3 mm   |

**CORRUGATED TRANSPARENT**



|                      |         |
|----------------------|---------|
| <b>POLYCARBONATE</b> |         |
| <b>LENGTH</b>        | 3 m     |
| <b>WIDTH</b>         | 1 m     |
| <b>THICKNESS</b>     | 1.5 mm  |
| <b>FIBER GLASS</b>   |         |
| <b>LENGTH</b>        | 1 - 6 m |
| <b>WIDTH</b>         | 1 m     |
| <b>THICKNESS</b>     | 1.5 mm  |

**COLD DRAWN ROUND BARS**



|                 |            |
|-----------------|------------|
| <b>DIAMETER</b> | 8 - 120 mm |
| <b>LENGTH</b>   | 3 - 6 m    |

**SQUARE BARS**




|                  |                |
|------------------|----------------|
| <b>DIMENSION</b> | 6x6 - 60x60 mm |
| <b>LENGTH</b>    | 6 m            |

**HOT DRAWN ROUND BARS**




|                 |              |
|-----------------|--------------|
| <b>DIAMETER</b> | 5.5 - 160 mm |
| <b>LENGTH</b>   | 6 m          |

**WROUGHT IRON SQUARE**



|                  |                |
|------------------|----------------|
| <b>DIMENSION</b> | 12x12-40x40 mm |
| <b>LENGTH</b>    | 6 m            |

**WROUGHT IRON FLAT**




|                  |                 |
|------------------|-----------------|
| <b>DIMENSION</b> | 12x5 - 60x10 mm |
| <b>LENGTH</b>    | 4 - 6 m         |

**REINFORCED STEEL**



|                 |                       |
|-----------------|-----------------------|
| <b>DIAMETER</b> | 5 - 50 mm             |
| <b>LENGTH</b>   | ALL LENGTHS AVAILABLE |

**PERFORATED SHEETS**



|                  |                  |
|------------------|------------------|
| <b>DIMENSION</b> | 2x1 - 2.5x1.25 m |
| <b>LENGTH</b>    | 0.5 - 3 mm       |

**ROOF TILES**



**HOT DIP GALVANIZED WIRE**



|                  |              |
|------------------|--------------|
| <b>THICKNESS</b> | 0.5 - 3.5 mm |
|------------------|--------------|

**PVC COATED WIRE**




|                  |            |
|------------------|------------|
| <b>THICKNESS</b> | 2 - 3.5 mm |
|------------------|------------|

**GALVANIZED WELDED MESH**



|                  |                     |
|------------------|---------------------|
| <b>WIDTH</b>     | 1000, 1200, 1500 mm |
| <b>THICKNESS</b> | 0.5 - 1.2 mm        |

**WELDED WIRE MESH**



|                  |                    |
|------------------|--------------------|
| <b>DIMENSION</b> | 2000x1000 mm       |
| <b>GAUGE</b>     | 25,40,50,80,100 mm |
| <b>THICKNESS</b> | 2.5 - 6 mm         |

**BARBED WIRE**



|                  |        |
|------------------|--------|
| <b>WEIGHT</b>    | 10 kgs |
| <b>THICKNESS</b> | 2.4 mm |

**RAZOR WIRE**




|                  |               |
|------------------|---------------|
| <b>DIMENSION</b> | 50, 70, 90 cm |
| <b>THICKNESS</b> | 2.4 mm        |

**GALVANIZED LINK FENCE WIRE**



|                  |               |
|------------------|---------------|
| <b>LENGTH</b>    | As Demanded   |
| <b>GAUGE</b>     | 40, 50, 60 mm |
| <b>THICKNESS</b> | 2 - 3.5 mm    |

# WROUGHT IRON HARDWARE



# MACHINING



**HYDRAULIC PRESS BRAKE**

Hydraulic Press Brake 6 m wide, capable of bending sheets of 10 mm thickness



**HYDRAULIC SHEAR**

Hydraulic Shear, cuts sheet metal with a maximum thickness of 10 mm and maximum width of 6 m



**C PURLIN MACHINE**

C Purlin machine, produces customized length purlins of 140, 160, and 200 mm width with a thickness of 1.5 - 2.5 mm



**CORRUGATED SHEETS MACHINE**

Roll forming machine that produces corrugated sheets in several thicknesses and customized lengths



**HORIZONTAL BAND SAW**

Band saw that provides precise cutting for a variety of applications



**SLIP ROLLING MACHINE**

Slip rolling machine that rolls sheet metal with a maximum thickness of 15mm

# MACHINING



**SECTION BENDING MACHINE**

Section Bending Machine is mainly used in bending tubes, square hollow sections, and rectangular hollow sections



**WROUGHT IRON EMBOSSING MACHINE**

The wrought iron embossing creates decorative iron products based on the design of the mold used in processing

# WELDING ELECTRODES

**YAWATA  
6013 - 7018**



**PERMANENT BRAND MT-12  
6013**



**PERMANENT BRAND MT-48  
7014**



JOUNICO is an agent for the welding electrode brands *Yawata* and *Permanent Brand MT-12* with all the electrode types available. The electrodes are available in various thicknesses, which are: 2.6, 3.2, 4, and 5 mm.

## CO<sub>2</sub> WELDING WIRE



The CO2 welding electrodes are available in 0.8 to 1.2 mm thickness range.

## MT -12 DISTRIBUTORS SINCE 2008



# CONSTRUCTION



**SLEEM DESIGN - SAIDA**



**RUBBER RECYCLING - JOUN**



**BREAKER - KAEEN GROUP - GHAZIEH**



**OLIVE OIL PASS - AL GHANDOURIYA**



**JANA CAFE & PLAYHOUSE - TYR**



**STORAGE FACILITY - SIDDIKEEN**



**SOCCER FIELD - KARAOUN MUNICIPALITY**



**SOCCER FIELD - AMYOUN MUNICIPALITY**

# CONSTRUCTION



**STORGAE FACILITY - ANGOLA**



**BIDAWI WOOD FACTORY - SAIDA**



**BRICK ROOFING- HABBOUCH**



**HIJAZI - SAIDA**



**CHICKEN FARM - JBAA**



**OXYZEN - TYR**



**ZOYA MARBLE TRADING - SAIDA**



**TRUCK DEALER - DAMOUR**

## **CONTACT US**

### **GHAZIEH MAIN BRANCH**

Address Saida, Ghazieh Highway

Tel. 00961 7 221 868 - 221 492

Fax 00961 7 221 867

Mobile 00961 3 207 516

Email [jounisteel@hotmail.com](mailto:jounisteel@hotmail.com) - [info@jounisteel.com](mailto:info@jounisteel.com)

Website [www.jounisteel.com](http://www.jounisteel.com)

### **ZEFTA BRANCH**

Address Zefta, Nabatieh Highway

Telefax 00961 7 506 504

Mobile 00961 3 236 955

Email [jounisteel@hotmail.com](mailto:jounisteel@hotmail.com) - [info@jounisteel.com](mailto:info@jounisteel.com)

## **JOUNICO**

**Tel.:** 00961 7 221 868 - 07 221 492 - **Fax:** 00961 7 221 867 - **Mobile:** 00961 3 207 516

**Zefta Second Branch:** **Telefax:** 00961 7 506 504 - **Mobile:** 00961 3 236 955

**Email:** [info@jounisteel.com](mailto:info@jounisteel.com) - [jounisteel@hotmail.com](mailto:jounisteel@hotmail.com) - **Website:** [www.jounisteel.com](http://www.jounisteel.com)